CONVENTIONAL

BALLOON FLIGHT SUPPORT APPLICATION

FISCAL YEAR 2001

The following information is requested regarding your needs for NASA/NSBF balloon flight support. Please type or print legibly and return to the NSBF. Please contact NSBF for "LDB Flight Application Form" if you're submitting for Long Duration Balloon Flights.


PART I

1.	Principal Scientific Investigator:David J. Thompson		
	Organization and Mailing Address:Laboratory for High Energy Astrophysics Code 661, NASA Goddard Space Flight Center, Greenbelt, MD 20771		
	Telephone:(301) 286-8168 Telex or Telefax: (301) 286-1682		
	E-Mail Address: djt@egret.gsfc.nasa.gov		
2.	Project Officer or Delegate Familiar with Engineering Aspects of Experiment:same, for present		
	Organization and Mailing Address:		
	Telephone: Telex or Telefax:		
	E-Mail Address:		
3.	Source of Funding (Research Grant):839-40-11-01		
4.	I have plans for balloon launches within the periods specified on the attached letter: YesX; No If no, complete Part III and date, sign, and return the questionnaire to the NSBF. If yes, complete entire questionnaire and return.		
5.	Number of Flights:One successful		
6.	Flight Date(s):(1)June, 2001(2)		

7.	Launch Site(s):(1)Palestine, TX		
8.	LaunchSite Arrival Date(s):(1)_ May 15, 2001		
9.	Dimensions of Scientific Payload:(1)_2.5m x 2.5 m x 4 m (Enclose Drawings or Photo if available)		
10.	Estimated Weight of Scientific Payload (experimenter-supplied equipment only including batteries): (1)Approx. 700 kg		
11.	Desired Float Altitude (feet):(1)125,000		
12.	Desired Time at Float Altitude:(1)8 hours		
13.	Desired Launch Time (Time of Day):(1)_any		
14.	Describe other than normal flight profile requirements - e.g., altitude variations, ascent/descent rates, valving, payload reel down, altitude stability: None		
15.	The NSBF normally provides steel shot as ballast. Non-magnetic ballast, e.g, glass shot or lead shot may be used if justified by science requirements. Please indicate your requirement. SteelOKNon-Magnetic		
16.	Are there any restrictions on the proximity of the scientific payload to other equipment, electronics, ballast, or to the balloon? List any special balloon design requirements that you may be aware of e.g., no radar reflective tape, attached ducts, minimum poly powder lubrication, etc. None		
17.	A. Has this payload been flown before by the NSBF?		
	No_XYesX_SiteAlice SpringsDateseveral Last Flight Number:		

GRIS

Gondola with GLAST Instrument



Б.	No <u>x</u> Yes	•	a for highl by NSBF?	
C.	Have any structural of Certification? No Yes	_	e that affect your previous N	Mechanical
		 prototype of Gam 	ndola has flown before. T ma Ray Large Area Space	
Requ	uired work area and sho	op support? <u>1200</u>	sq. ft	
Plea	se indicate time require	-	mental Test Chamber (Ben	nco), if any
the N	, ,	ort of your prograr	RITY of gases/cryogens than . Refer to Enclosure 5 f	or specific
NSB moni	F for its flight support m	ust be paid for direc	es other than directly requi ly by the experimenter's gro lable to the NSBF as de	oup or from
	ort. Please provide a lis	_		red routine
•	oad Safety: The follow bads. Please indicate w	•	ards typically associated w to your project.	ith balloon
		<u>Yes</u>	<u>No</u>	
Radi	oactive Materials		x	
Lase	ers		X	

Cryogenic Materials		<u>Yes</u> -	<u>No</u> X	
Pressure Vessel	_X			
High Voltage	_X			
Pyrotechnics		-	_X	
Attachment 9 is the NSBF Ground Safety Plan (GSP). It delineates NSBF policies regarding hazardous materials, systems, and equipment. Please verify that the appropriate documentation and procedures are in place to comply with these policies. You will be asked to sign a "Verification of Safety Compliance" form after your arrival at the launch site.				
Please indicate any additional hazardous materials, systems, or equipment not falling into the above categories (i.e. toxic gases, superconducting magnets, etc). You will be required to generate a special ground and flight safety plan to address hazards associated with these items. None				
Please attach any applicable safety documentation or plans that have been generated as part of your own institutional safety program as part of your project. Indicate below if you have or plan on submitting institutional safety documentation.				
Yes	I	NoX	_	
If you checked "yes" under	radioact	ive materials, v	vill you be using	the sources in:
Flight?	(Ground Suppo	ort Only	?
List radioactive sources to materials in C_i , μC_i , and/or		d along with r	naximum activi	ty/wattage. (Identify
Each scientist is required	to furnis	sh NSBF with	a Sealed Sour	ce Device Registry

Each scientist is required to furnish NSBF with a Sealed Source Device Registry (SSDR) Safety Evaluation Sheet to be on file at NSBF before the source can be shipped to NSBF property or remote launch site. Refer to Enclosure 2 for instructions regarding radioactive sources.

If hazardous materials are used, you must furnish Material Safety Data Sheets (MSDS).

Are other experimenters participating with you in the flight(s) covered by this request?:

Please identify all participants in your group that	will be supporting your flight.*
NAME	CITIZENSHIP (a)
Not known at the time - will be supplied	
 a. Non-U.S. citizens will not be allowed on ar Please provide the following for each non-U.S. of 1. Birthplace 2. Date of Birth 	•
 3. Passport Number 4. Country of Citizenship * This list must include all personnel at the launce the United States, the NSBF and NASA are required the nationality of all campaign participants. 	
If this is a cooperative program, describe each p _Stanford - electronics, detector assembly; Sa _NRL - calorimeter; GSFC - anticoincidence d _Saclay - calorimeter, All - data analysis	anta Cruz - tracking detector;
Briefly describe the scientific experiment and its GLAST is a gamma-ray telescope follow-on to The instrument will study gamma radiation in a wide variety of cosmic sources such as puls	EGRET on the Compton Observatory. the 20 MeV - 300 GeV range from

to Enclosure 7 for a copy of the established policy and approved threaded fastener source list.

PART II

The following information is requested regarding your requirements for NSBF electronic support of flights from the Palestine Facility or other launch sites. Any additional pertinent information not specifically requested should be attached to the Flight Request.

NSBF TELECOMMAND SYSTEM

1.	The NSBF telecommand system utilizes a computerized command management
	system at the ground station. Science commands are sent from the scientist provided
	remote computer to the NSBF Flight Computer COMMAND MANAGEMENT SYSTEM
	via RS-232 port. (See Enclosure 8 for Instructions for Command Integration.) The
	NSBF command system allows for a 16 bit parallel command word and a maximum of
	80 discrete commands.

2.	Do you plan to use your own command encoder and transmitter to meet science payload requirements? Yes No_X If Yes:
	FrequencyPower
	Authorization No Area of Authorization
	Transmitter Antenna, omni or pointed?
AIRB	ORNE TELEMETRY REQUIREMENTS
1.	Indicate the nature of telemetry signals from scientific instrumentation.
	SIGNAL FREQUENCY CODING (BPS) (NRZ,Bi0,ETC) TBD
	NSBF normally furnishes telemetry transmitters. If you plan to utilize your own transmitter provide the following information.
10.	Scientist Furnished Transmitter?No_
	Frequency; Authorization No
	Area of authorization

3.	Describe special or unusual electronic requirements, indicate constituent signals comprising science furnished composite video, indicate any TV video requiring NSBF supplied transmitters. <u>Electromagnetic interference testing required due to sensitive electronics in instrument.</u>
GRO	UND TELEMETRY REQUIREMENTS
NO	TE : Analog tapes are routinely recorded on all flights and stored for a period of not less than six months.
4.	Is digital tape logging required?XYes;No If yes, please complete Digital Data Logging Requirement Form (Enclosure 4).
5.	Indicate any special requirements (ground station equipment, test equipment, etc):
6.	Downrange ground station support requirements:
<u>BATT</u>	TERIES (See Enclosure 5)
	Do you want NSBF to purchase batteries for your scientific payload: Yes:X No:
NOTE availa	E: Only lithium battery packs and cells of the type routinely used by the NSBF are ble with this service. CIP power is not available for use by the scientist.

Enclosure 1, Page 7

BATTERIES AVAILABLE (Indicate desired per flight quantity)

Battery	Cells/Pack	Loaded <u>Voltage</u>	Ampere <u>Hour</u> *	Quantity <u>Desired</u>
B7901-10	10	26	30	
B7901-11	11	29	30	6 (tentative)
B7901-12	12	32	30	
B9660	10	26	7	
B9525	5	14	7	
B9808	4	11.2	1	_
G20-12	1	2.6	7	
G62-12	1	2.6	30	

^{*} Ampere hour ratings should be derated for temperatures below -20 degrees centigrade.

Batteries ordered per this request will be held by NSBF only for the Fiscal Year the flight request is submitted. Should you be required to submit another Flight Application, even though you have not used the batteries originally requested, be sure to specify battery requirements.

Unless otherwise specified, batteries requested will be available at the requested launch site upon your arrival.

PART III Future Requirements:

Please provide detailed information on planned balloon flights beyond FY 2000 to assist the NASA/NSBF in developing flight support services. Considerable advanced planning is required for complicated missions, e.g., Australia, Canada, Antarctica, etc. Even if your plans are not firm, identifying potential requirement facilitates the planning process. Include the anticipated number of flights through Calendar Year 2001 and their locations and seasonal requirements. Also note any special support requirements and any required services or capabilities that the NSBF does not presently offer.

No flights planned beyond 2001
I have read and agree with all requirements and conditions set forth in the Balloon Fligh Support Application and Enclosures.
David J. Thompson Name (Type or Print)
NASA/GSFC
Organization
Signature
7/27/00
Date

PRE-FLIGHT SUCCESS CRITERIA

Notes:

- 1. The NSBF always strives to meet the comprehensive success criterion as established by the experimenter. Therefore, unless a reasonable chance exists of meeting that criterion as stated, the flight application will be deemed unacceptable.
- 2. At the launch site, the NSBF will make every effort to meet the comprehensive success criterion. Under no circumstances will the NSBF attempt to launch your experiment unless the minimum success criterion can be met.

Please type or print legibly.

	the minimum scientific objective which must be met to achieve a mission
success.	Observe atmospheric gamma radiation at high altitude for
	at least three hours.
3alloon Perf	formance Requirements:
Float Duration	on (Hrs) - Desired 8 ; Minimum Acceptable 5
Float Altitud	e (Ft) - Desired 125,000 Minimum Acceptable 115,000
Altitude Stal	bility - Desired_+/- 2000 Minimum Acceptable +/- 5,000
	ther than normal flight profile requirements - e.g., altitude variations, ent rate, valving, payload reel down, altitude stability): None
•	NSBF support systems (telemetry, commanding, recovery, etc.) e requirements with desired and minimum criteria.
	o special requirements

4.	•	ance - Detectors, Pointing Systems, etc. (Give a summary of the performance for the experiment.
	Detector subsyste	ems should all operate successfully at float for at least one hou
	Goal is to take at	least 5 hours of data at float.
5.	flight but necessary to instrumented aircraft,	y other data source or support element separate from the balloon achieve mission success (e.g., instrumented sounding balloons, satellite overpass, independent ground station measurements, rvice Radiosonde Data).
	None	
6.	Proposed Data of Fli	ght
	Launch Site	Palestine
	David J. Thompson lame (Type or Print)	
	IASA/GSFC rganization	
Si	gnature	
	ate	

WAIVER OF CLAIMS AGAINST THE PHYSICAL SCIENCE LABORATORY NEW MEXICO STATE UNIVERSITY

With regard to Balloon Flight Services provided by New Mexico State University/Physical Laboratory, the operators of the National Scientific Balloon Facility (NSBF), under contract with the National Aeronautics and Space Administration (NASA), the requiring institution identified below, agrees not to assert any claim or claims against the New Mexico State University/Physical Science Laboratory, the National Aeronautics and Space Administration, or their employees or agents, for loss or damages to any instrument or scientific equipment (including loss of or damage to the balloon) provided by the requiring institution and carried on a Balloon Flight provided by the National Scientific Balloon Facility, or consequential damages resulting from such loss or damages, except with respect to any such loss or damages resulting solely from the fault or negligence of the New Mexico State University/Physical Science Laboratory. This waiver shall be in effect from:

		io io	ii ioiaoi vo.
	(Date)	(Date)	_
Institution:			
		(e.g., Agency Name, University Name, etc.)	
-		(Department, Section, etc.)	
Name: _			
	(Official	with authority to legally bind institution)	
Title:			
		(Title of above official)	
Date:			
		(Date official signs this document)	

inclusive

HOLD HARMLESS AND INDEMNIFICATION

The	9					
(Name of Institution, e.g., NASA Center, NOAA, NRL, University Name etc.)						
(PSL/NMSL	ndemnify and Hold Harmless the Physical Science Laboratory of New Mexico State University I), its Regents, Officers, and employees from any liability whatsoever (including legal costs) with damages or death resulting from a radioactive substance provided by					
	(Name of Scientific User at NSBF)					
and carried	on a balloon flight launched, flown, and recovered by PSL/NMSU National Scientific Balloon Facility					
(NSBF) for t	the					
	(Name of Subgroup, e.g., Department, Section, etc., at Institution)					
— whose addr	ess is					
— Name:						
	(Official with Authority to Legally Bind Institution)					
Title:						
	(Official's Title at Institution)					
Date:						
	(Date Official Signs this Document)					

DIGITAL DATA LOGGING REQUIREMENTS

NSBF has available some data logging applications software which can be tailored to many logging and real-time display requirements. Currently, this support is provided only for flights launched at Palestine, Texas. This form provides preliminary information necessary to ensure that digital logging and display requirements can be met.

If you would like post flight digitized data from analog tapes for flights launched from any site, please identify in the **Other Special Requirements Section**.

	(Scienti	st's Signature)		(Date))				
	undersigned verifies the	at above requirements	s have be	en tested	to meet	stated			
6.	Other Special Require	ments:							
		Words/Frame Frames/Major Fra Frame Sync = Sub Frame Sync = (Please attach cor	me <u> </u>	format)					
5.	PCM Information:	Data Rate (BPS) Bits/Word	-						
4.	Is real-time display required? (Yes/No)								
3.	Can Scientist Provide assistance with changing tapes? (Yes/No)								
2.	Tapes Provided by Scientist: (Yes/No)								
1.	Recording: (800 BPI/1600 BPI)								